

# HANDHELD GAMING CONSOLE DOCK

INSTRUCTIONS



# Contents

PRODUCT OVERVIEW	2
PRODUCT LAYOUT	2
INSTRUCTIONS FOR SETUP	3
INSTRUCTIONS FOR USE	3
PRODUCT SPECIFICATIONS	4
PRODUCT CARE AND SAFETY	4



### POWERWAVE


# HANDHELD GAMING CONSOLE DOCK

INSTRUCTIONS

#### **Product Overview**

Get the most out of your Steam Deck or other compatible handheld gaming device with the multi-functional Powerwave Handheld Console Dock. Display on your TV or monitor, charge and connect your gaming accessories all whilst enjoying a reliable internet connection.

## **Product Layout**





#### POWERWAVE

# HANDHELD GAMING CONSOLE DOCK

INSTRUCTIONS

# Instructions For Setup

- Place the Console Dock onto a clean, dry surface.
- Place a compatible gaming device into the console slot and lean against the backrest.
- Insert the Type-C cable on the Console Dock into the gaming device's charging port.
- Insert one end of a HDMI cable into the Console Dock HDMI port, and connect the other end to a monitor, TV or projector.
- To utilise a wired internet connection, plug an ethernet cable into the RJ45 port on the side of the Console Dock.
- Attach the gaming device's power supply to the power delivery port on the Console Dock.

#### Instructions For Use

- Power on your TV, monitor or projector and ensure it is set to the correct HDMI input. The gaming
  device will automatically display on the visual output device.
- The Console Dock is capable of fast charging the gaming device if a suitable charger is used.
   The gaming device's official charger is recommended.
- The 3.0 USB Ports can be utilised for gaming controllers, mice, keyboards and other accessories.
- The Gigabit Ethernet Chip supports 10M/100M/1000M ethernet access. Connecting the Console Dock using an ethernet cable provides a more stable internet connection to the gaming device.



### POWERWAVE

# HANDHELD GAMING CONSOLE DOCK

INSTRUCTIONS

### **Product Specifications**

Specifications	
Input Power	TYPE-C 15V 3A (with PD protocol)
Output Power	TYPE-C (Console Charging): 15V 2A USB3.0: 5V 1A x 3
USB Ports	USB 3.0 × 3 Ports
HDMI Resolution	Supports up to 4K 60Hz
HDMI Output	Supports automatic detection & switching.
Network Input	Supports 10M/100M/1000M Ethernet input Compliant with IEEE 802.3, 802.3u, and 802.3ab standards.
Operating Temperature	0°C to 40°C
Storage Temperature	-10°C to 60°C
Console Compatibility	- Steam Deck™ - ASUS Rog Ally™ - Lenovo Legion Go™

## **Product Care and Safety**

- Keep your user manual for future reference.
- Unplug the input power when gaming console is fully charged or not in use.
- Use this device solely for its intended purposes.
- For indoor use only.
- Keep away from hot surfaces and naked flames and liquids.
- When not in use, store in a cool, dry environment away from direct sunlight.
- Do not apply force or put heavy objects onto the product.

- If the product is damaged, broken or immersed in water, stop use immediately.
- Do not attempt to repair, modify or disassemble the product.
- Clean with a soft, dry cloth to prevent dirt buildup. Do not use chemical solvents, detergents or alcohol.
- · Keep out of reach of small children.