



# RGB COOLING STAND

## INSTRUCTIONS

### Product Overview

The Powerwave RGB Cooling Base is lightweight, easy to install and equipped with built-in cooling fans for efficient heat dissipation over long gaming sessions. Includes remote controlled RGB lighting modes.

**CONTENTS:**

- 1 x RGB Cooling Base
- 1 x USB Charging Cable 30CM
- 1 x RGB Remote Control
- 1 x Wing Screw

**WARNING**

**THIS PRODUCT CONTAINS A BUTTON BATTERY**


New or used button batteries are hazardous!  
Keep out of reach of children.

The Lithium button battery can cause severe or fatal injuries in 2 hours or less if it is swallowed or placed inside any part of the body.


If you think batteries may have been swallowed or placed inside any part of the body, seek immediate medical attention.

### Product Specification:


Compatible With:	PS5 disc and digital editions
Working Voltage:	DC 5V
Fan Specification (High Speed):	3200±10%RPM
Fan Specification (Low Speed):	2200±10%RPM
Product Material:	ABS
Interface:	Dual USB2.0 data ports / DC5V power supply port



Top View



Bottom View



Side View

USB2.0



# RGB COOLING STAND

## INSTRUCTIONS

### Installation Instructions

1. Turn the PS5 console upside down, so you are facing the bottom of the console. (Remove the PS5 Base if in place).
2. Turn the RGB Cooling Base upside down and insert the provided wing screw into the centre screw hole of the base.
3. Place the base on the PS5 console, aligning the wing screw with the screw hole on the PS5 console. Tighten screw to secure.
4. Invert PS5 console and connect the provided USB cable to a spare port in the RGB Cooling Base and a spare port in the PS5 console.

### Operating Instructions


The cooling fans and RGB lighting modes will automatically turn on and off with the PS5 console, plus the memory function in the RGB Cooling Base will remember your previous settings.

#### Cooling Fans:

Press the fan button to start up the cooling fans. The fans will start on low speed, press the button a second time for high speed. To turn off the fans press the fan button for a third time.

Fan speed levels:

- 1 – Low Speed
- 2 – High Speed
- 3 – Off.



#### RGB Lighting Modes:

You can adjust the colour, speed and brightness of the lighting modes using either the RGB light button on the base or the provided RGB remote control.

#### RGB Light Button:

Press the RGB light switch to start up RGB lighting modes. Press the RGB light switch again to cycle through the available modes. To turn off hold for 3 seconds or until lights turn off.



# RGB COOLING STAND

## INSTRUCTIONS


### Operating Instructions

#### RGB Base Light Settings:

- |           |             |                   |
|-----------|-------------|-------------------|
| 1. Red    | 5. Cyan     | 9. Trailing       |
| 2. Green  | 6. Purple   | 10. Running Water |
| 3. Blue   | 7. White    | 11. Chasing Light |
| 4. Yellow | 8. Gradient | 12. Off           |

#### RGB Remote Control Settings:

Point the RGB remote control directly at the RGB light button on the base to activate and change lighting modes, speeds and brightness.



Supports use within 2M range

**Note:** The plastic tab isolates the battery, remove first before using RGB remote control.



# RGB COOLING STAND

## INSTRUCTIONS

### Product Care

- Keep your user manual for future reference.
- Use this device solely for its intended purposes. For indoor use only.
- Ensure device is properly installed under PS5 console and placed on a flat surface.
- If debris enters the fan during use, stop use immediately.
- Store in a cool, dry environment away from direct sunlight. Do not use in a humid environment.
- Clean the device with a soft damp cloth to prevent dirt build-up. Do not use chemical solvents, alcohol or detergent.
- Do not use external heating equipment to dry device.
- If the device is damaged, broken or immersed in water stop use immediately.
- Do not attempt to repair, modify or disassemble the device.
- Keep out of reach of small children.